



2016 STAHL'S Hotronix® 2 CATALOG



THE WORLD'S BEST-SELLING HEAT PRESSES

STAHL'S

Hotronix®



WORLD-CLASS



EXPERIENCE



DEDICATION



PROUDLY MADE IN THE U.S.A.



SKILL

In 1987, Stahls' revolutionized the heat printing industry with the Hotronix® line of heat presses and equipment. Today, we continue to lead the industry with unmatched technological advancements - components that have never before been seen in a heat press. Our presses are proudly made in the USA, engineered by experts who understand heat printing and are always working to meet the changing needs of decorators.



INNOVATION



QUALITY



A FULL LINE OF HEAT PRINTING SOLUTIONS

Offering solutions for every heat printing application, Stahls' Hotronix® provides everything from clamshell and swinger styles, to draw and cap presses. Whether you're a crafter or a commercial factory, there's a product at a price that's suited for any business. Our innovative spirit made us an industry leader, and we will continue improving it through quality engineering designed with the operator in mind.

ACCURACY

OVER-THE-CENTER PRESSURE ADJUSTMENT

Patented feature allows pressure to be evenly distributed for proper application every time.

CAST-IN TUBULAR HEATING ELEMENTS

Eliminates cold spots, providing even heat throughout the platen.

DIGITAL DISPLAY

Time, temperature, and pressure are displayed to ensure precise application.

QUALITY

POWDER COATED FINISH


Highly durable, scratch and chip-resistant finish provides a lasting professional appearance.

ELECTRICAL CERTIFICATIONS

All Hotronix® heat presses are tested and pass UL, ULC, and CE certifications.

UNMATCHED SUPPORT

Premier industry warranties and lifetime technical support - 24/7/365.



INGENUITY



TOUCH SCREEN TECHNOLOGY

Control your heat press settings with smart menus.



AUTO ADJUST PRESSURE™

Takes the guesswork out of setting proper pressure.



THREADABILITY™

Print both sides of a garment without re-dressing the platen, increasing production by up to 40%.



NON-STICK PLATENS

A coated non-stick finish makes platens easy to clean and maintain between heat printing jobs.

SIMPLICITY



AUTO OPEN

Prevents over-application and aids in multi-tasking.



AUTO SWING

Provides a heat-free workspace while reducing operator fatigue.



MULTIPLE TIME SETTINGS

Automatically change for pre-heating or mixed media applications.



PRE-SET PROGRAMS

Program your heat press for frequently used heat transfer applications.



QUICK CHANGE LOWER PLATENS

Quickly and easily change between jobs – no tools required.

TABLE OF CONTENTS

THE FUSION SERIES

6-17

DUAL AIR FUSION™	6-9
AIR FUSION™	10-13
FUSION	14-17

THREADABILITY™

18-19

THE AUTO OPEN SERIES

20-25

AUTO OPEN CLAM	20-23
AUTO OPEN 6" X 6"	24
AUTO OPEN CAP	25

THE MAXX® PRESS SERIES

26-27

THE MAXX® CLAM	26
THE MAXX® CAP	27

ACCESSORIES

28-33

HEAT PRESS CADDIE™ / COUNTERCADDIE™	30-31
HEAT PRESS CADDIE™ SHELVES	32
HEAT PRINTING EQUIPMENT CART	32
LASER ALIGNMENT SYSTEM	33

QUICK CHANGE PLATENS

34-39

7" ROUND 6" X 10"	34
8" X 10" 11" X 15"	35
HAT BILL SHOE CAN COOLER	36
SLEEVE / LEG CAP	37
QUICK SLIP LOWER PLATEN PROTECTOR	37
AVAILABLE PLATENS FOR YOUR HEAT PRESS	38-39

WARRANTY

39

Hotronix®

DUAL AIR FUSION™

Maximize time and space with an additional work station. The Dual Air Fusion™ provides groundbreaking A and B workstations that operate independently or in unison, optimizing performance.





WORK SMARTER, **NOT HARDER**

Built for ultimate heat printing efficiency, the Dual Air Fusion™ provides the functionality of two presses with dual 16" x 20" workstations. Program the press to preheat on station A and complete final application on station B. The press automatically adjusts time and pressure as it shuttles between workstations. It's a smooth, quiet, effortless operation controlled by the push of a button and tap of the foot pedal. Simply power on and choose between dual or independent operation.

The Dual Air Fusion also comes standard with a Laser Alignment System, assuring your job is on target every time. The laser system seamlessly integrates into the Dual Air Fusion's workstations and is controlled entirely through the touch screen.

**DUAL AIR
FUSION™**

TOUCH SCREEN

T E C H N O L O G Y

Integrated laser system
operation

Smart screen with stylus

Adjustable shuttle speed

4 pressure and time
settings

Patented Auto Adjust
Pressure™

Tack mode

Digital time, temperature,
and pressure display

Auto On/Auto Off

Production cycle counter

Programmable presets
for applications

8 different languages



SUSAN & HER HOTRONIX® DUAL AIR FUSION™

“It just cuts down on time; honestly, it really does save time. It’s an awesome machine. Because you have one person loading, it just slides over, and once you get the timing of it down it literally cuts your heat pressing in half.”

SUSAN BECKER - Jersey Ink



DUAL AIR FUSION™

PERFORMANCE

Dual platen shuttle operation

Laser Alignment System

User-safe push-button/foot pedal operation

Auto, semi-auto, or manual mode

Touch screen control system with stylus

Heat-free work surface

Corrosion-resistant framework

(2) 16" x 20" Quick Change lower platens

Get the most out of your Hotronix®. See page 38 to find out what Quick Change platens are available for the Dual Air Fusion™.

SPECS

220 Volt • 20 Amps / 3500 Watts

Requires air compressor (not included) with minimum 1-horsepower and 5-gallon hold tank.

SHIPPING

45" x 45" x 30" • 410 lbs

\$6,950

One or more patent and/or patents pending.

AIR-POWERED FOR EFFORTLESS OPERATION

Hotronix®

AIR FUSION™

Heat printing simplicity through air-powered operation. The first fully automatic heat press - the Hotronix® Air Fusion™ - makes it possible. Two push-buttons and a pedal are all that's required.



Available in a Pedestal and Table Top model.

AUTO ADJUST PRESSURE™ AUTO-ADJUSTS TO FIT YOUR NEEDS

Ideal for medium to high-volume shops, the Air Fusion™ offers a two-button operation that locks the upper platen down with accurate, even pressure. It then swings open automatically to create a heat-free workspace. A tap of the foot pedal returns the upper platen. It's that simple.

Take the guesswork out of setting pressure. Whether you're printing a fleece sweatshirt or a lightweight T-shirt, the patented Auto Adjust Pressure™ automatically adjusts to the thickness of the item you're printing. Program your time to change from pre-heating to final application. With up to four time and pressure settings, it's not just possible – it's automatic.



AIR
FUSION™

TOUCH SCREEN

T E C H N O L O G Y

Smart screen with stylus

Adjustable swing speed

4 pressure and time
settings

Patented Auto Adjust
Pressure™

Tack mode

Digital time, temperature,
and pressure display

Auto On/Auto Off

Production cycle counter

Programmable presets
for applications

8 different languages



DEBBY AND HER HOTRONIX® AIR FUSION™

"We chose the Air Fusion™ first and foremost because of the safety feature of the swing-away design. It was important to me to have the heat away from my hands. All the other features - including the Quick Change platens - were important to us from a productivity standpoint."

DEBBY STEINAKE - The Thread and I



AIR FUSION™ **PEDESTAL**



AIR FUSION™ **TABLE TOP**

PERFORMANCE

Auto open, auto swing operation

*Adjustable pedestal stand 37"- 44"

*Lockable casters

User-safe push-button/foot pedal operation

Auto, semi-auto, or manual mode

Touch screen control system with stylus

Heat-free work surface

Cast aluminum alloy frame

Corrosion-resistant framework

16" x 20" Quick Change lower platen

Get the most out of your Hotronix®. See page 38 to find out what Quick Change platens are available for the Air Fusion™.

SPECS

110 Volt • 20 Amps / 1800 Watts

220 Volt • 10 Amps / 3500 Watts

Requires air compressor (not included) with minimum 1-horsepower and 5-gallon hold tank.

**Pedestal model only*

SHIPPING

40" x 48" x 58" • 245 lbs

\$4,150

SHIPPING

37" x 24" x 24" • 180 lbs

\$3,800

One or more patent and/or patents pending.

Hotronix®

FUSION™

The one-of-a-kind Hotronix® Fusion™ operates as a draw or swing-style press, providing a heat-free workspace. The swing or draw feature gives 100% access to every inch of the 16" x 20" lower platen, allowing for easy, precise placement and positioning right on the press.



FUSION...

IT'S MORE THAN A CLEVER NAME

Whether you prefer to decorate with a draw or swing press, the Hotronix® Fusion™ has you covered. It's like having two presses in one. Depending on your garment or work environment, you can choose to swing the upper platen away or draw out the lower platen. Either way, you'll always have a heat-free workspace.



↑ SWING OR DRAW ↓



FUSION

TOUCH SCREEN

T E C H N O L O G Y

Smart screen with stylus

Dual timer

Tack mode

Digital time, temperature,
and pressure display

Auto On/Auto Off

Production cycle counter

Programmable presets
for applications

8 different languages



VICKI & HER HOTRONIX® FUSION™

"It's wonderful to have the convenience of using either the swing away or draw press, but the primary reason we purchased the Fusion is the Threadability™. We save so much time being able to thread garments onto the press, and the versatility and ease of switching the different size platens makes pressing various size garments a breeze."

VICKI DUNNING - Embroidery Designs



FUSION

PERFORMANCE

Manual swing or draw operation

Touch screen control system with stylus

Heat-free work surface

Cast aluminum alloy frame

Corrosion-resistant framework

16" x 20" Quick Change lower platen

Get the most out of your Hotronix®. See page 38 to find out what Quick Change platens are available for the Fusion.

SPECS

110 Volt • 20 Amps / 1800 Watts

220 Volt • 10 Amps / 3500 Watts

SHIPPING

37" x 25" x 24" • 150 lbs

\$2,100

One or more patent and/or patents pending.

“THREADABILITY™”



/ thred-a-bil-i-tee, *adj.* /

1. Using the open space below a Hotronix® heat press to accommodate the sliding of a garment onto the lower platen, in order to quickly and easily print and spin front to back without removing it. 2. Capable of keeping seams, buttons, and other obstacles from interfering with the print area.

A SIMPLE TECHNIQUE WITH POWERFUL RESULTS.

FAST

Quickly and easily position garments on the press to decorate up to 40% faster.

EFFICIENT

Quick Change platens reduce the need for additional accessories like heat printing pillows and pads.

EASY

For ultimate performance, use a Quick Slip Lower Platen Protector.



DEFINED


THREAD IT



PRINT IT



SPIN IT



Achieve **THREADABILITY™** with the:



DUAL AIR FUSION™



AIR FUSION™



FUSION



CLAM ON HEAT PRESS CADDIE™

Hotronix®

AUTO OPEN CLAM

With a patented magnetic auto open feature, over-application and ruined garments are things of the past. An over-the-center pressure adjustment allows for even, edge-to-edge heat and pressure, a digital display takes the guesswork out of pressure settings, and the Twin Timer™ is great for pre-heating or two-step applications.



BIG PROFITS IN A SMALL SPACE

In addition to ending over-application, the Hotronix® Auto Open Clam features a compact clamshell design, making it the perfect press for a crowded workspace. Requiring only a small footprint, the wide opening still allows for easy positioning of garments and design layout.

Hover mode option also available for pre-curing DTG designs

THE AUTO OPEN CLAM
IS AVAILABLE IN 3 SIZES:

SO WHAT SIZE DO I CHOOSE?

*You know you want to invest in a clam-style heat press.
Now which size is right for your shop?*



11" X 15"

The 11" x 15" Auto Open Clam is perfect for shops with limited space. This lightweight, compact design is also a great choice for heat printing at offsite events.



16" X 16"

The 16" x 16" Auto Open Clam is a popular choice and favored by many shops that print full-size transfers.



16" X 20"

This best-selling full-size clam's large surface accommodates the application of names and numbers on jerseys, all-over sublimation prints, and oversized transfers. Compatible with nearly every optional Quick Change platen, it's also the most versatile.

Add "Threadability™" to your Auto Open Clam with the Heat Press Caddie™ - see pages 30-31 for details.



JEFF & HIS AUTO OPEN CLAM

"The Auto Open design is our favorite feature. It allows us to work faster because we can lay out the next garment while one is being pressed. We can be confident the heat press will automatically release once the application time is up."

JEFF TOLTON - Play It Again Sports®



AUTO OPEN CLAM

PERFORMANCE

Patented Features:

Over-the-center
pressure adjustment

Magnetic auto open

Magnetic assist
lock down

Plus:

Digital time, temperature,
and pressure display

Twin Timers™

Wide opening for
easy layout

Smooth shock
opening

Quick Change
lower platen



16" x 20"

SPECS

110 Volt • 20 Amps / 1800 Watts
220 Volt • 10 Amps / 1800 Watts

SHIPPING

36" x 25" x 21" • 100 lbs

*16" x 20" Quick Change
lower platen*

\$1,600

16" x 16"

SPECS

110 Volt • 20 Amps / 1800 Watts
220 Volt • 10 Amps / 1800 Watts

SHIPPING

36" x 25" x 21" • 90 lbs

*16" x 16" Quick Change
lower platen*

\$1,325

11" x 15"

SPECS

110 Volt • 10 Amps / 1000 Watts
220 Volt • 10 Amps / 1000 Watts

SHIPPING

36" x 25" x 21" • 72 lbs

*11" x 15" Quick Change
lower platen*

\$945

ALSO AVAILABLE IN A HOVER MODEL

HOVER PRESS™

Order the Auto Open Clam as a Hover Press™. This feature is designed for curing inks during the DTG decorating process. Switch from Hover mode to Auto Open as needed.

16" x 20" Quick Change lower platen

SPECS

110 Volt • 20 Amps / 1800 Watts
220 Volt • 10 Amps / 1800 Watts

SHIPPING

36" x 25" x 21" • 100 lbs

\$1,700



Hotronix®

AUTO

NOVA
RHINESTONE
DEPOT

AUTO OPEN 6" x 6"

UNIQUE LOGO PLACEMENT JUMP-STARTS SALES

Collars and cuffs are unique areas for logo or design placement. If you're heat printing small items or limited areas of apparel, here's the perfect press. Lightweight and portable, it's ideal for small decorating jobs in the craft market, or other mobile heat printing opportunities.

PERFORMANCE

Patented Features:

Under-the-center pressure adjustment

Magnetic auto open

Magnetic assist lock down

Plus:

Digital time, temperature, and pressure display

Twin Timers™

Wide opening for easy layout

Smooth shock opening

Quick Change lower platen

SPECS

110 Volt • 10 Amps / 360 Watts

220 Volt • 10 Amps / 360 Watts

SHIPPING

26" x 15" x 21" • 41 lbs

\$845



OPEN SERIES

AUTO OPEN **CAP PRESS**



PERSONALIZE CAPS AND PROFIT MORE

43,750,000 baseball caps are sold in the US each year. Capture a part of this market. Decorate with the reliability and accuracy of our Auto Open Cap press. A cap hold-down device pulls the front of the cap taut, securing it while providing a smooth surface for heat applications. Decorate a variety of cap styles with four optional Quick Change platens.



PERFORMANCE

Patented Features:

Under-the-center pressure adjustment

Magnetic auto open

Magnetic assist lock down

Plus:

Cap hold-down device

Digital time, temperature, and pressure display

Twin Timers™

Wide opening for easy layout

Smooth shock opening

Quick Change lower platen

SPECS


110 Volt • 10 Amps / 500 Watts

220 Volt • 10 Amps / 500 Watts

SHIPPING

26" x 15" x 21" • 41 lbs

\$845



THE MAXX® PRESS

THE MAXX® CLAM



THE PERFECT PARTNER FOR A START-UP BUSINESS

The MAXX® is the best-selling low-cost clam-style heat press. Trust this budget-friendly machine to outperform every press in its class. Whether you're just getting into heat printing, heat printing part-time, or need a back-up press, this durable machine is the perfect partner.

PERFORMANCE

Patented over-the-center pressure adjustment

Digital time and temperature display

Wide opening for easy layout

Quick Change lower platen



Add "Threadability™" to your MAXX® Clam with the Heat Press Caddie™ - see pages 30-31 for details.

AVAILABLE IN THREE SIZES

16" X 20"

SPECS

110 Volt • 20 Amps / 1800 Watts
220 Volt • 10 Amps / 1800 Watts

SHIPPING

36" x 25" x 21" • 104 lbs

16" x 20" Quick Change lower platen

\$1,175

15" X 15"

SPECS

110 Volt • 20 Amps / 1800 Watts
220 Volt • 10 Amps / 1800 Watts

SHIPPING

36" x 25" x 21" • 78 lbs

15" x 15" Quick Change lower platen

\$945

11" X 15"

SPECS

110 Volt • 20 Amps / 1000 Watts
220 Volt • 10 Amps / 1000 Watts

SHIPPING

36" x 25" x 21" • 72 lbs

11" x 15" Quick Change lower platen

\$700



THE MAXX® CAP

SPEED UP CAP DECORATING WHILE HOLDING DOWN COSTS

This manually operated clamshell design is economical and easy-to-operate. The MAXX® Cap offers a digital time and temperature display, and cap hold-down device that keeps caps securely in place during heat printing.



PERFORMANCE

Patented under-the-center pressure adjustment

Cap hold-down device

Digital time and temperature display

Wide opening for easy layout

Quick Change lower platen

SPECS

110 Volt • 20 Amps / 500 Watts
220 Volt • 10 Amps / 500 Watts

SHIPPING

26" x 15" x 21" • 41 lbs

\$700



Hotronix®

HEAT PRESS **ACCESSORIES**

Quickly and easily decorate sports,
fashion, or corporate apparel with
our wide selection of heat
press accessories.





SPEED

HEAT PRESS CADDIE™ STANDS

Add Threadability™ to your Hotronix® and MAXX® Clam heat presses, and increase productivity up to 40 percent.



PRECISION

LASER ALIGNMENT SYSTEMS

Achieve precise placement and positioning when decorating everything from apparel to bags.



VERSATILITY

OPTIONAL HEAT PRESS PLATENS

Decorating head-to-toe has never been easier with optional heat press platens. Available in a variety of sizes for all Hotronix® and MAXX® heat presses.



PERFORMANCE

QUICK SLIP LOWER PLATEN PROTECTORS

Easily slide garments on and off the heat press while protecting the lower platen.

INCREASE PRODUCTIVITY UP TO 40%

HEAT PRESS **CADDIE™ STAND**

The Heat Press Caddie™ is an adjustable stand that converts any Hotronix® Auto Open or MAXX® Clam into a fully threadable heat press.

For more information on Threadability™ see pages 18-19.

PERFORMANCE

Adjustable height up to 40"

1-year warranty

Some assembly required

SHIPPING

33" x 33" x 12" • 65 lbs

\$340

Self-leveling casters provide portability and stability, allowing you to take advantage of mobile heat printing opportunities.



HEAT PRESS COUNTERCADDIE™ STAND

Take advantage of the power and efficiency of Threadability™ with the CounterCaddie™ Stand. Use with your Hotronix® Auto Open or MAXX® Clam to maximize heat printing productivity.

For more information on Threadability™ see pages 18-19.



PERFORMANCE


1-year warranty

No assembly required

SHIPPING

24" x 14" x 7" • 27 lbs

\$200



"The Heat Press Caddie™ really speeds up the heat printing process. I wouldn't recommend buying a heat press without it."

CHARM CITY SCREEN PRINT - Glen Arm, MD



HEAT PRESS CADDIE™ SHELVES

Designed to easily attach to your Hotronix® Heat Press Caddie™ or Air Fusion™ pedestal stand, these sturdy, adjustable shelves keep your heat transfer products, blanks, and accessories within reach. Both trays can be rotated in either landscape or portrait position, offering you convenience and flexibility.



PERFORMANCE

13" x 18" trays

Trays hold up to
10 lbs each

1-year warranty

Some assembly required

SHIPPING

20" x 15" x 7" • 25 lbs

\$150



HEAT PRINTING EQUIPMENT CART

Add more counter space to your shop with this heavy-duty steel cart. Designed to hold the Dual Air Fusion™, it can also be used with other heat presses, small vinyl cutters, printers, and more. Pivoting wheels allow for easy movement around shops or at events, and lock to ensure stability.

PERFORMANCE

37" x 23¾" workspace

Powder coated, scratch-resistant

Holds up to 600 lbs

Adjustable height from 17" to 35"

Lockable, pivoting wheels

No assembly required

SHIPPING

39" x 25" x 19" • 126 lbs

\$565




HEAT PRESS LASER ALIGNMENT SYSTEM

The Hotronix® Heat Press Laser Alignment System ensures consistent design placement with four adjustable lasers. This tabletop unit is compatible with any brand of heat press.



Included is the Laser Alignment Wizard™. This heavy-duty, spiral bound template contains five popular layouts. Simply align each bulb to the guides for accurate positioning.



PERFORMANCE

Requires 18" of table space

Warranty: 1-year on laser, 90 days on bulbs

Some assembly required

SHIPPING

22" x 14" x 8" • 11 lbs

\$315

One or more patent and/or patents pending.



"We're doing about 3,000 to 4,000 shirts a week, so the Laser Alignment System is great for what I do; it's perfect for me. It ensures speed, accuracy, and consistency every time."

MARK SHINDLER - Brody's Tots and Teens



ALIGN LASERS



REMOVE L.A.W.



POSITION DESIGN



Decorate full fronts, then quickly change platens to decorate the sleeve, pant leg, left chest, and more. No waiting for your heat press to cool down before safely changing out the platen. Simply flip the latch, lift up your platen, and drop in any one of eight optional platens.



7" ROUND

Perfect for heat printing designs or numbers on the shoulders of team jerseys, ends of duffle bags, and items that require a round printing surface.



\$110

6" X 10"

Ideal for heat printing smaller areas of garments such as left chest logos, hoodie pockets, and legs of shorts. Use portrait or landscape.

\$110



CHANGE PLATENS



TO SEE WHICH PLATENS
ARE AVAILABLE FOR
YOUR HEAT PRESS,
TURN TO PAGE 38

8" X 10"

Just the right size for heat printing totes and polypropylene bags. Slide items onto the platen for efficient heat printing on both sides. Use portrait or landscape.

\$110



PURCHASE ALL THREE: 7" Round, 6" x 10", and 8" x 10"



\$300



11" X 15"

The design of this platen accommodates smaller women's and children's apparel. Well-suited for dance wear, leotards, youth T-shirts, and drawstring bags. Use portrait or landscape.

\$150





HAT BILL

Get ahead of the competition with design placement on trendy flat-billed caps. Print the underside of cap bills, or turn the caps inside-out and print the tops of the bills.

\$250



SHOE

Unique placement drives sales. The Hotronix® shoe platen makes heat printing on the sides of most popular youth and adult shoes simple. Accommodates designs up to 2" x 4" on cleats and other athletic footwear.

\$250



CAN COOLER

Steel construction with no rubber pads for easy Threadability™. Decorate up to 8 collapsible can coolers at a time.

\$250



CHANGE PLATENS

TO SEE WHICH PLATENS
ARE AVAILABLE FOR
YOUR HEAT PRESS,
TURN TO PAGE 38

FUSION **SLEEVE/LEG**

This 6" x 20" platen is perfect for heat printing designs and vertical text on sleeves, pant legs, and other long, slender items. Quick Slip Lower Platen Protector included.

\$250



CAP PLATENS

Make decorating hats easier with interchangeable cap platens. Apply transfers or letters and numbers on visors, bucket hats, baseball caps, and more. Perfect for adding designs to the front, back, side, or brim of headwear.


2 3/4" x 6 1/2" - for low-profile caps — **\$60**

3" x 5 3/4" - for low-crown caps — **\$60**

4" x 6 1/2" - for full-crown ball caps — **\$60**

4" x 8" - for oversized caps — **\$60**

Set of Four — **\$225**



QUICK SLIP LOWER PLATEN PROTECTOR

Reduce wear and tear on the lower platen of your heat press with the Quick Slip Lower Platen Protector. This non-stick fitted cover slips snugly over the bottom heat press platen. A must-have for Threadability™, platen protectors make it easy to load and unload garments, increasing productivity.



6" x 10" — **\$40**


8" x 10" — **\$45**

11" x 15" — **\$35**

15" x 15" — **\$40**


16" x 16" — **\$45**

16" x 20" — **\$55**



THE RIGHT PLATEN

FOR YOUR
HEAT PRESS

HEAT PRESS	PLATEN						
		11" x 15"	8" x 10"	6" x 10"	7" ROUND	HAT BILL	SHOE
	DUAL AIR FUSION™	✓	✓	✓	✓	✓	✓
	AIR FUSION™	✓	✓	✓	✓	✓	✓
	FUSION	✓	✓	✓	✓	✓	✓
	AUTO OPEN CLAM - 16" x 20"	✓	✓	✓	✓	✓	✓
	AUTO OPEN CLAM - 16" x 16"	✓	✓	✓	✓	✓	✓
	AUTO OPEN CLAM - 11" x 15"	✓	✓	✓	✓		✓
	THE MAXX® CLAM - 16" x 20"	✓	✓	✓	✓	✓	✓
	THE MAXX® CLAM - 15" x 15"	✓	✓	✓	✓	✓	✓
	THE MAXX® CLAM - 11" x 15"	✓	✓	✓	✓		✓

*We will even work one-on-one with you to design and create custom platens for any job.
Call us at 800-727-8520 to get started.*

UNMATCHED SUPPORT

HOTRONIX® AND MAXX® PRESS WARRANTIES

- Lifetime on Heating Element
- 5-year on Framework*
- 2-year on Circuit Board*
- 1-year on Parts & Labor

**Exclusive to Hotronix®*

HAVE QUESTIONS? WE HAVE ANSWERS

24/7/365 BLUE RIBBON SUPPORT

“Stahls’ Hotronix® proudly offers extended service hours with our Blue Ribbon Support. Speak with a live representative 24 hours a day, 7 days a week, 365 days a year.”

- Ben Robinson

Stahls’ Hotronix® General Manager



PROUDLY MADE IN THE U.S.A.

HOTRONIX.COM | 800.727.8520



Shop Online

www.NovaRhinstone.com

info@NovaRhinstone.com

Tel: 888-740-6682

Fax: 213-612-4413

Shop Local

California

807 Maple Ave, Los Angeles, CA 90014

Texas

5849 W 34th St, Houston, TX 77092